

Name	Causative Pollutants	Type of Advisory	Recommendations	Area Description/Size Affected	Date Established
<b><u>Fish Consumption and/or Swimming Advisories Caused by ORGANIC CHEMICAL Contamination</u></b>					
<b>Upper Calcasieu Estuary</b>  LA030301_00 LA030302_00 LA030303_00 LA030304_00 LA030401_00 LA030402_00 (Approximately northern half of LA030402_00, only) (Calcasieu and Cameron)	PCBs, Dioxins and Furans	Advisory crab fat	DO NOT EAT Crab Fat	56.6 miles	Issued: 04/07/92 Revised: 10/94, 1995, 11/16
<b>Bayou d'Inde and portions of the Calcasieu Ship Channel</b>  LA030901_00 (Calcasieu)	PCBs, Dioxins and Furans	Advisory crab fat and fish consumption; advisory swimming, water sports and contact with bottom sediments	DO NOT EAT Catfish. DO NOT EAT Crab Fat. Fish/shellfish consumption of no more than 2 meals a month; no swimming, water sports & contact with bottom sediments	11.8 miles	Issued: 04/07/92 Revised: 10/94, 1995, 11/16

<b>Bayou Olsen at Lake Charles</b>  LA030304_001 (Calcasieu)	Priority organics	Advisory sediment contamination	Avoid swimming and sediment contact.	0.5 mile	Issued: 01/17/89 Revised: 10/94
<b>Bayou Bonfouca</b>  LA040907_00 LA040908_00 (St. Tammany)	Priority organics (creosote)	Advisory swimming	Avoid swimming or sediment contact	7.0 miles	Issued: 11/24/87 Revised: 12/10/98
<b>Devil's Swamp, Devil's Swamp Lake, and Bayou Baton Rouge</b>  LA070203_00 (East Baton Rouge)	Fish Advisory for PCBs, mercury  Swimming advisory for Hexachloro benzene, Hexachloro butadiene, Arsenic, Lead, Mercury	Advisory fish consumption; advisory swimming	Do not eat fish or crawfish from this area  Avoid swimming	7.0 sq. miles	Issued: 07/09/93 Revised: 8/12/15
<b>Capitol Lake</b>  LA070503_00 (East Baton Rouge)	Priority organics (PCBs)	Advisory fish consumption; sediment contamination	No fish consumption.	0.12 mile	Issued: 08/24/83

<p><b>Wham Brake</b></p> <p>LA080904_005 59693 (Morehouse)</p>	Dioxin	Advisory fish consumption	No fish consumption.	7.2 sq. miles	<p>Issued: 11/23/87 Revised: 3/94, 11/96, and 11/01</p>
<p><b>Sibley Lake</b></p> <p>LA101001_00 (Natchitoches)</p>	Priority organics (PCBs)	Advisory fish consumption	No consumption of gar, shad, carp. Skin and trim fat from other fish. Broil, grill or bake fish. Do not fry fish. Within any one month period consumption should be limited to <b>ONLY</b> one of the following: One meal/week of largemouth bass or crappie. OR one meal/month of channel catfish, striped bass.	3.4 sq. miles	<p>Issued: 02/16/89 Revised: 01/31/96</p>
<p><b>Tensas River</b></p> <p>LA081201_00 (Madison, Tensas, Catahoula)</p>	DDT, Toxaphene	Advisory fish consumption	Long-term fish consumption may cause health risk.	83 miles	<p>Issued: 02/19/92</p>
<p><b>Bayou Lafourche: from Hwy. 80 overpass to I-20</b></p> <p>LA080904_00 (Ouachita)</p>	Dioxin	Advisory fish consumption	Limit consumption to TWO MEALS PER MONTH for all species.	2 miles	<p>Issued: 11/96 Revised: 11/01</p>

**Fish Consumption Advisories Caused by MERCURY Contamination**

<p><b>Gulf of Mexico off Louisiana Coast</b></p> <p>LA110701_00          LA031201_00          LA050901_00          LA061201_00          LA010901_00          LA120806_00          LA021102_00          LA070601_00          LA042209_00          (N/A)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME KING MACKEREL</b> and should consume no more than <b>ONE MEAL PER MONTH</b> of cobia, blackfin tuna and greater amberjack combined from the advisory area.</p> <p>Other adults and children seven years of age and older <b>SHOULD NOT CONSUME KING MACKEREL GREATER THAN 39 INCHES IN TOTAL LENGTH</b> (distance from the outermost portion of the snout to the outermost portion of the caudal fin) and should consume no more than <b>TWO MEALS PER MONTH</b> of king mackerel 39 inches or less in total length and no more than <b>FOUR MEALS PER MONTH</b> of cobia, blackfin tuna and greater amberjack combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>Approximated Area Affected:</p> <p>1,191 Square Miles</p>	<p>Issued: 9/4/97          Revised: 3/8/06</p>
--	----------------	----------------------------------	---	--	--

<p><b>Bayou De Siard</b></p> <p>LA080701_00 (Ouachita)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of all other species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Desiard from headwaters to confluence with the Ouachita River</p>	<p>Issued: 5/29/03</p>
<p><b>Lake Louis (Lovelace Lake) and Bayou Louis</b></p> <p>LA080203_00 LA080202_00 (Catahoula)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of all other species combined from the advisory area.</p> <p>Other adults and children over seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Lake Louis (Lovelace Lake) and Bayou Louis from its headwaters to its confluence with the Ouachita River</p>	<p>Issued: 5/29/03</p>

<p><b>Big Alabama Bayou</b></p> <p>LA010401_001 (Point Coupee, Iberville, St. Martin)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of any species combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of catfish species from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Big Alabama Bayou for its entire length from the boat landing at Hwy 975 to its southern end near the Atchafalaya River Pilot Channel.</p>	<p>Issued: 5/29/03</p>
<p><b>Black Bayou Lake</b></p> <p>LA080701-0053675 (Ouachita)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Black Bayou Lake only (Ouachita)</p>	<p>Issued: 5/29/03</p>

<p><b>Boeuf River</b></p> <p>LA080901_00 (Franklin, Richland, Catahoula)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>ONE MEAL PER MONTH</b> of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>FOUR MEALS PER MONTH</b> of all other species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>Boeuf River from the confluence with Lake Lafourche to the confluence with the Ouachita River.</p>	<p>Issued: 5/29/03</p>
--	----------------	--------------------------------------	---	---	------------------------

<p><b>Bogue Falaya and Tchefuncte Rivers</b></p> <p>LA040804_00  LA040801_00  LA040802_00  LA040803_00  (Washington, St. Tammany, Tangipahoa)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME</b> largemouth bass and crappie and should consume no more than <b>ONE MEAL PER MONTH</b> of freshwater drum, spotted bass, or catfish combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than <b>TWO MEALS PER MONTH</b> of largemouth bass and crappie and no more than <b>FOUR MEALS PER MONTH</b> of freshwater drum, spotted bass, or catfish combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>Bogue Falaya River from its headwaters to its confluence with the Tchefuncte River, and the Tchefuncte River from its headwaters to Lake Pontchartrain. All oxbow lakes associated with these sections of the Bogue Falaya and Tchefuncte Rivers are included in this advisory.</p>	<p>Issued: 5/29/03</p>
---	----------------	----------------------------------	--	--	------------------------



<p><b>Corney Lake</b></p> <p>LA080608_00 (Claiborne)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Corney Lake only</p>	<p>Issued: 5/29/03</p>
<p><b>Grand Bayou Reservoir</b></p> <p>LA100709_001 (Red River)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Grand Bayou Reservoir only</p>	<p>Issued: 5/29/03</p>

<p><b>Kepler Creek Lake</b></p> <p>LA100705_00 (Bienville)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Kepler Creek Lake only</p>	<p>Issued: 5/29/03</p>
<p><b>Tangipahoa River</b></p> <p>LA040701_00 LA040702_00 (Tangipahoa)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, spotted bass, flathead catfish, freshwater drum, or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, spotted bass, flathead catfish, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Tangipahoa River from the Louisiana/ Mississippi state line to Lake Pontchartrain</p>	<p>Issued: 5/29/03</p>

<p><b>Catahoula Lake, Little River, Old River, Black River, Saline Lake, Larto Lake (Saline/Larto Complex), Shad Lake and Associated Water Bodies</b></p> <p>LA081603_00  LA081301_00  LA081605_00  LA081601_00  LA081602_00  LA081606_00  LA081607_00  LA081609_00  LA081608_00  LA081610_00  LA081611_00  LA080301_00  LA080302_00  LA101502_00  LA101505_00  LA101504_002  LA081610_001  LA101506_00  LA101501_00  LA081610_002  LA081610_003  LA081604_00  LA101504_001  LA101502_005  37480  LA101506_001  LA101504_00  (Avoyelles, Catahoula, Concordia, Grant, LaSalle, Rapides)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME</b> largemouth bass, white bass, freshwater drum, flathead catfish, or bowfin (choupique, grinnel) and should consume no more than <b>TWO MEALS PER MONTH</b> of white crappie from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than <b>TWO MEALS PER MONTH</b> of largemouth bass, white bass, freshwater drum, flathead catfish, or bowfin (choupique, grinnel) and should consume no more than <b>FOUR MEALS PER MONTH</b> of white crappie from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>All water bodies mentioned in advisory within the parishes of Avoyelles, Catahoula, Concordia, Grant, LaSalle, and Rapides, including the following associated streams and their tributaries:  Big Bushley Creek  Big Creek  Big Saline Bayou  Brushley Bayou  Bushley Creek  Catahoula Lake  Diversion Canal  Cross Bayou  Muddy Bayou  Open Bayou  Saline Bayou</p>	<p>Issued: 11/20/00  Revised: 5/29/03</p>
---	----------------	----------------------------------	--	--	---

<p><b>Bayou Bartholomew</b></p> <p>LA080401_00 (Morehouse)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>ONE MEAL PER MONTH</b> of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>FOUR MEALS PER MONTH</b> of all other species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>Bayou Bartholomew from the Louisiana/Arkansas state line to its confluence with the Ouachita River</p>	<p>Issued: 1/21/1999 Revised: 5/29/03</p>
--	----------------	----------------------------------	---	---	---

<p><b>Bayou des Cannes</b></p> <p>LA050101_00 (Evangeline)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel), black crappie, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bowfin (choupique, grinnel), black crappie, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>54 miles-</p> <p>From origin near Ville Platte to the Mermentau River</p>	<p>Issued: 10/97 Revised: 5/29/03</p>
--	----------------	----------------------------------	--	--	---

<p><b>Bayou Liberty</b></p> <p>LA040905_00  LA040906_00  (St. Tammany)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, crappie, freshwater drum, or redear sunfish combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, crappie, freshwater drum, or redear sunfish combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>10 miles-   From origin to Lake Pontchartrain</p>	<p>Issued: 2/97  Revised: 5/29/03</p>
--	----------------	----------------------------------	--	--	---

<p><b>Bayou Plaquemine Brule</b></p> <p>LA050201_00 (St. Landry, Acadia)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME bowfin (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and no more than FOUR MEALS PER MONTH OF largemouth bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>40 miles-</p> <p>Origin near Opelousas to Mermentau River</p>	<p>Issued: 10/96 Revised: 5/29/03</p>
--	----------------	--------------------------------------	---	--	---

<p><b>Black Lake</b></p> <p>LA100703_00 (Red River, Natchitoches)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass, white bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin (choupique, grinnel) and no more than FOUR MEALS PER MONTH of largemouth bass, white bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>8 square miles</p>	<p>Issued: 10/96 Revised: 5/29/03</p>
---	----------------	----------------------------------	---	-----------------------	---



<p><b>Blind River</b></p> <p>LA040401_00 LA040403_00 (St. John the Baptist, St. James)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age or older should consume no more than FOUR MEALS PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>25 miles-</p> <p>From origin to Lake Maurepas</p>	<p>Issued: 04/27/98 Revised: 5/29/03</p>
<p><b>Bogue Chitto River</b></p> <p>LA090501_00 LA090203_00 (Washington, St. Tammany)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bass (all species) or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bass (all species) or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>35 miles-</p> <p>From the MS/LA state line to the Pearl River Navigation Canal</p>	<p>Issued: 8/96 Revised: 5/29/03</p>

<b>Chicot Lake</b>  LA060203_00 (Evangeline)	Mercury	Advisory fish consumption	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>ONE MEAL PER MONTH</b> of largemouth bass from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than <b>TWO MEALS PER MONTH</b> of bowfin (choupique, grinnel) and no more than <b>FOUR MEALS PER MONTH</b> of largemouth bass from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	2.54 square miles	Issued: 5/27/97 Revised: 5/29/03
---	---------	---------------------------	--	-------------------	-------------------------------------

<p><b>Henderson Lake area including Lake Bigeux</b></p> <p>LA010301_001 LA010301_002 LA010301_00 (St. Martin)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, crappie, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>37.8 square miles</p> <p>Henderson Lake, Lake Bigeux, and all waters within the area bounded on the north by the St. Landry-St. Martin Parish Line, on the east by the West Atchafalaya River levee (Hwy. 3177), on the south by Hwy. 3177 and on the west by the West Atchafalaya Basin levee.</p>	<p>Issued: 03/04/96 Revised: 5/29/03</p>
---	----------------	----------------------------------	--	--	--

<p><b>Ivan Lake</b></p> <p>LA100401_005 56575 (Bossier)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>ONE MEAL PER MONTH</b> of largemouth bass from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than <b>TWO MEALS PER MONTH</b> of bowfin (choupique, grinnel) and no more than <b>FOUR MEALS PER MONTH</b> of largemouth bass from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>369 Acres</p>	<p>Issued: 11/20/00 Revised: 5/29/03</p>
---	----------------	----------------------------------	--	------------------	--

<p><b>Lake Vernon</b></p> <p>LA110503_00 (Vernon)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, flathead catfish, redear or bluegill sunfish combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, flathead catfish, redear or bluegill sunfish combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>4,224 acres</p>	<p>Issued: 8/5/97 Revised: 5/29/03</p>
---	----------------	----------------------------------	--	--------------------	--

<p><b>Ouachita River</b></p> <p>LA080101_00 (Morehouse, Ouachita, Union, Catahoula, and Caldwell)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>ONE MEAL PER MONTH</b> of all other species combined from the advisory area.</p> <p>Other adults and children seven years of age and older <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) from the advisory area and should consume no more than <b>FOUR MEALS PER MONTH</b> of all other species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>Ouachita River from the Louisiana/ Arkansas border to the confluence of the Tensas River including any lakes that are inside the levee system or within the Ouachita River floodplain.</p>	<p>Issued: 07/29/92 Revised: 8/94 and 5/29/03</p>
---	----------------	----------------------------------	--	---	---

<p><b>Pearl River</b></p> <p>LA090101_00  LA090102_00  LA090103_00  LA090105_00  LA090106_00  LA090107_00  LA090201_00  LA090202_00  LA090202-5126  LA090204_00  LA090205_00  LA090206_00  LA090207_00  LA090207-5112  (Washington, St. Tammany)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>ONE MEAL PER MONTH</b> of bass (all species), bigmouth buffalo, or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>FOUR MEALS PER MONTH</b> of bass (all species), bigmouth buffalo, or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>57 miles-</p> <p>This advisory includes the entire Pearl River</p>	<p>Issued: 3/1/97  Revised: 5/29/03</p>
--	----------------	----------------------------------	---	---	---

<p><b>Seventh Ward Canal</b></p> <p>LA050702_001 LA060802_001 (Vermilion)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of flathead catfish, white crappie, freshwater drum or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of flathead catfish, white crappie, freshwater drum or bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>11.5 miles –</p> <p>Seventh Ward Canal southwest of Abbeville only</p>	<p>Issued: 6/25/97 Revised: 05/29/03</p>
---	----------------	----------------------------------	--	---	--



<p><b>The Toledo Bend Reservoir</b></p> <p>LA110101_00 (Sabine, De Soto)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>ONE MEAL PER MONTH</b> of largemouth bass or freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than <b>TWO MEALS PER MONTH</b> of bowfin (choupique, grinnel) and no more than <b>FOUR MEALS PER MONTH</b> of largemouth bass or freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>The entire Louisiana side of the Toledo Bend Reservoir.</p>	<p>Issued: 11/17/97 Revised: 7/19/01 and 5/29/03</p>
--	----------------	----------------------------------	--	--	--

<p><b>Tickfaw River Drainage Basin</b></p> <p>LA040501_00  LA040502_00  LA040503_00  LA040502-00553715  LA040502_00536641  LA040505_00 (Livingston, Tangipahoa, and St. Helena)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of freshwater drum, largemouth bass, bowfin (choupique, grinnel), or white crappie combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of freshwater drum, largemouth bass, bowfin (choupique, grinnel), or white crappie combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>The advisory area includes the following bodies of water: the Tickfaw River from the Mississippi-Louisiana state line to Lake Maurepas; the Natalbany River; the Blood River; Lizard Creek; and Ponchatoula Creek.</p>	<p>Issued: 7/8/02  Revised: 5/29/03</p>
---	----------------	----------------------------------	--	---	---

<p><b>Amite River Drainage Basin</b></p> <p>LA040301_00  LA040302_00  LA040303_00  LA040305_00  LA040402_00  LA040403_005  55632  (East Feliciana, St. Helena, East Baton Rouge, Livingston, and Ascension)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, spotted bass, bigmouth buffalo, white crappie, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass, spotted bass, bigmouth buffalo, white crappie, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Amite River from the Mississippi State Line to its confluence with Lake Maurepas. Includes Colyell Creek, the Amite River Diversion Canal, and the Petite Amite River.</p>	<p>Issued: 7/1/04</p>
---	----------------	----------------------------------	--	---	-----------------------

<p><b>Bayou Bonne Idee</b></p> <p>LA080902_00 (Morehouse)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than ONE MEAL PER MONTH of largemouth bass and freshwater drum combined from the advisory area.</p> <p>Other adults and children seven years of age and older SHOULD NOT CONSUME BOWFIN (choupique, grinnel) and should consume no more than FOUR MEALS PER MONTH of largemouth bass and freshwater drum combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Bonne Idee from its headwaters near Jones, LA to its confluence with the Boeuf River east of Oak Ridge.</p>	<p>Issued: 7/1/04</p>
<p><b>Bayou De L'outre and associated lakes</b></p> <p>LA080501_00 LA080501_005 55636 LA080501_005 54678 LA080501_001 (Union)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME ANY SPECIES from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of all species combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou De L'outre from the Arkansas State Line to its confluence with the Ouachita River, including Phillips, Hatley, and Hudson lakes.</p>	<p>Issued: 11/20/00 Revised: 5/29/03 and 7/1/04</p>

<p><b>Bayou Dorcheat</b></p> <p>LA100501_00 (Webster)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass, spotted bass, black crappie, freshwater drum, flathead catfish and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass, spotted bass, black crappie, freshwater drum, flathead catfish and bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Dorcheat from the Arkansas State Line to its confluence with Lake Bistineau.</p>	<p>Issued: 7/1/04 Revised: 3/8/06</p>
---	----------------	----------------------------------	--	---	---

<p><b>Bayou Queue De Tortue</b></p> <p>LA050501_00 (Acadia, Lafayette, and Vermilion)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Queue de Tortue from its headwaters near Cankton, LA to its confluence with the Mermentau River east of Lake Arthur, LA.</p>	<p>Issued: 7/1/04</p>
<p><b>Calcasieu River Drainage Basin</b></p> <p>LA030103_00 LA030201_00 LA030801_00 LA030806_00 LA030802_00 LA030803_00 LA030702_00 LA030804_00 (Calcasieu, Jefferson Davis, and Allen)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age SHOULD NOT CONSUME largemouth bass, freshwater drum, or bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of largemouth bass, freshwater drum, and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>The Calcasieu River from Hwy 26 to the Saltwater Barrier north of Lake Charles, the West Fork Calcasieu River, Houston River, Hickory Creek, Beckwith Creek, English Bayou, and Little River.</p>	<p>Issued: 11/20/00 Revised: 5/29/03 and 7/1/04</p>

<p><b>Cheniere (Brake) Lake</b></p> <p>LA080802_00 (Ouachita)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age <b>SHOULD NOT CONSUME BOWFIN</b> (choupique, grinnel) and should consume no more than <b>TWO MEALS PER MONTH</b> of largemouth bass from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than <b>TWO MEALS PER MONTH</b> of bowfin (choupique, grinnel) and should consume no more than <b>FOUR MEALS PER MONTH</b> of largemouth bass combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>Cheniere (Brake) Lake only</p>	<p>Issued: 7/1/04</p>
<p><b>I-10 Canal and Work Canal and Bayou Bristow</b></p> <p>LA010501_001 LA010501_002 LA010501_005 33411 (Iberville)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than <b>ONE MEAL PER MONTH</b> of largemouth bass, black crappie, and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than <b>FOUR MEALS PER MONTH</b> of largemouth bass, black crappie, and bowfin (choupique, grinnel) combined from the advisory area.</p>	<p>The canal that is between the I-10 bridges (between Whiskey Bay and Ramah) and Work Canal, which runs north to south and intersects the I-10 Canal. Also includes Bayou Bristow</p>	<p>Issued: 7/1/04 Revised: 02/11/2009 to include Bayou Bristow</p>

<p><b>Tew Lake</b></p> <p>LA081301-00553675 (Catahoula)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should limit consumption of bowfin (choupique, grinnel) to no more than <b>ONE MEAL PER MONTH</b> from the advisory area.</p> <p>Other adults and children seven years of age and older should limit consumption of bowfin (choupique, grinnel) to no more than <b>FOUR MEALS PER MONTH</b> from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>Tew Lake only</p>	<p>Issued: 7/1/04</p>
<p><b>Lake Bistineau</b></p> <p>LA100502_00 (Webster, Bossier, Bienville)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than <b>ONE MEAL PER MONTH</b> of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than <b>FOUR MEALS PER MONTH</b> of bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to <b>FOUR MEALS PER MONTH</b>.</p>	<p>Lake Bistineau only</p>	<p>Issued: 3/8/06</p>



<p><b>Black Bayou Lake</b></p> <p>LA100302_00 (Caddo)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass and bowfin (choupique, grinnel) from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Black Bayou Lake only (Caddo)</p>	<p>Issued: 3/8/06</p>
<p><b>Iatt Lake</b></p> <p>LA101302_00 (Grant)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Iatt Lake only</p>	<p>Issued: 3/8/06</p>

<p><b>Bayou Chene and Bayou Lacassine</b></p> <p>LA050603_00 LA050601_00 (Jefferson Davis, Calcasieu, Cameron)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass and bowfin (choupique, grinnel) combined from the advisory area.</p> <p>Unless the fish species is specifically addressed in the details of the advisory, please limit consumption of all species in an advisory area to FOUR MEALS PER MONTH.</p>	<p>Bayou Chene and Bayou Lacassine only</p>	<p>Issued: 3/8/06</p>
<p><b>Bayou Nezpique</b></p> <p>LA050301_00 (Acadia, Allen, Evangeline, Jefferson Davis)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of bowfin (choupique, grinnel) or no more than ONE MEAL PER MONTH of largemouth bass, from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin, or no more than FOUR MEALS PER MONTH of largemouth bass, from the advisory area.</p>	<p>Headwaters of Bayou Nezpique to the Mermentau River</p> <p>65.0 miles</p>	<p>Issued: 02/11/2009</p>

<p><b>Caddo Lake</b></p> <p>LA100307_00 (Caddo)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of bowfin (choupique, grinnel) from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin from the advisory area.</p>	<p>32,640 acres</p>	<p>Issued: 02/11/2009</p>
<p><b>Clear Lake (Lake Edwards)</b></p> <p>LA100605_00 (DeSoto)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of black crappie, bowfin (choupique, grinnel), largemouth bass, or bigmouth buffalo combined, from the advisory area.</p>	<p>2,944 acres</p>	<p>Issued: 02/11/2009</p>
<p><b>Cocodrie Lake</b></p> <p>LA060102_00 (Evangeline, Rapides)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of bowfin (choupique, grinnel), or no more than ONE MEAL PER MONTH of largemouth bass, black crappie, or bigmouth buffalo combined, from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than TWO MEALS PER MONTH of bowfin, or no more than THREE MEALS PER MONTH of largemouth bass or bigmouth buffalo, combined, from the advisory area.</p>	<p>6,099 acres</p>	<p>Issued: 02/11/2009</p>

<p><b>Saline Bayou and Saline Lake</b></p> <p>LA100801_00 LA100802_00 (Bienville, Winn, Natchitoches)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of largemouth bass, or no more than THREE MEALS PER MONTH of carp, freshwater drum, longear sunfish, or warmouth combined, or no more than TWO MEALS PER MONTH of black crappie, or no more than ONE MEAL PER MONTH of bowfin (choupique, grinnel) or spotted bass combined, from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of bowfin or spotted bass combined, or no more than TWO MEALS PER MONTH of largemouth bass, from the advisory area.</p>	<p>From headwaters of Saline Bayou in Bienville Parish to, and including, Saline Lake in Winn and Natchitoches Parishes.</p>	<p>Issued: 02/11/2009</p>
<p><b>Old River (Niblett Bluff)</b></p> <p>LA110201_005 37846 (Calcasieu)</p>	<p>Mercury</p>	<p>Advisory fish consumption</p>	<p>Women of childbearing age and children less than seven years of age should consume no more than SIX MEALS PER YEAR of bowfin (choupique, grinnel), or no more than TWO MEALS PER MONTH black crappie or redear sunfish combined, or no more than ONE MEAL PER MONTH of freshwater drum, largemouth bass or spotted bass combined, from the advisory area.</p> <p>Other adults and children seven years of age and older should consume no more than THREE MEALS PER MONTH of freshwater drum, or no more than TWO MEALS PER MONTH of bowfin from the advisory area.</p>	<p>From headwaters to confluence with Sabine River</p> <p>10.6 miles</p>	<p>Issued: 02/11/2009</p>

<b>Crooked Creek Reservoir</b>  LA050301_005 56751 (Evangeline)	Mercury	Advisory fish consumption	Women of childbearing age and children less than seven years of age should consume no more than ONE MEAL PER MONTH of largemouth bass from the advisory area.  Other adults and children seven years of age and older should consume no more than FOUR MEALS PER MONTH of largemouth bass from the advisory area.	370 acres	Issued: 02/11/2009
---	---------	------------------------------	---	-----------	--------------------